

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATIONS AND OF THE COMPANY UNDERTAKING

Product Name Polyken 108
Product Description Rubber Based Pressure Sensitive Adhesive
Manufacturer/Supplier Berry Plastics Corporation, Tapes and Coatings Division
Address 25 Forge Parkway
 Franklin, MA 02038
Phone Number (800) 248-7659 (Monday – Friday 8:00 am to 5:00 pm)
Chemtrec Number (800) 424-9300
Revision Date: July 2, 2009
MSDS Date: November 27, 2006
Safety Data Sheet according to EC directive 2001/59/EC and OSHA's Hazcom Standard (29 CFR 1910.1200)

2. HAZARDS IDENTIFICATION

EU Main Hazards
 Not classified as hazardous.

Routes of Entry
 Skin contact - Inhalation

Carcinogenic Status
 See section 11.

Target Organs
 - Skin

Health Effects - Eyes
 Contact may cause irritation due to mechanical abrasion or overexposure to vapors.

Health Effects - Skin
 Prolonged, repeated contact with adhesive may cause skin irritation.

Health Effects - Ingestion
 Not an expected route of entry during normal handling and use.

Health Effects - Inhalation
 Prolonged, repeated inhalation of adhesive may cause dizziness and drowsiness.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS#/Codes	Concentration	R Phrases	Classification
Polymers and Rubbers	N.A.	<30%	None	None
Hydrocarbon resin	N.A.	<25%	None	None
Zinc Oxide	1314-13-2/ 215-222-5	<2%	R50/53	N
Inorganic Compound(s)	N.A.	<10%	None	None
Antimony Trioxide	1309-64-4/ 215-175-0	<10%	R40	Xn, Carc.Cat.3
Organic Tin Compound	N.A.	<5%	None	None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS#/Codes	Concentration	R Phrases	Classification
Carbon Black (in black adhesive only)	1333-86-4/ 215-609-9	<0.5%	None	None
Flame Retardant Compound	N.A.	<10%	None	None

4. FIRST AID MEASURES

Eyes

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin

Wash skin thoroughly with soap and water. Obtain medical attention if blistering occurs or redness persists.

Ingestion

Obtain medical attention immediately.

Inhalation

Remove person to fresh air. Seek medical attention if symptoms persist.

Advice to Physicians

Treat symptomatically.

5. FIRE - FIGHTING MEASURES

Extinguishing Media

Water spray, carbon dioxide and dry chemical.

Unusual Fire and Explosion Hazards

Can release hazardous vapors during a fire.

Protective Equipment for Fire-Fighting

Wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

No specific measures necessary. Prevent the material from entering drains or watercourses.

7. HANDLING AND STORAGE

Keep away from heat and sources of ignition. Exposure to high heat or flame can release irritating and toxic fumes. Storage area should be: - cool - dry - well ventilated - away from incompatible materials

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Standards

Exposure limits are listed below, if they exist.

Polymers and Rubbers

None established

Inorganic Compound(s)

None established

Hydrocarbon Resin

None established

Antimony Trioxide, (as Sb)

ACGIH TLV: 0.5 mg/m³ TWA

OSHA PEL: 0.5 mg/m³ TWA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Tin, Organic compounds, as Sn

ACGIH TLV: 0.1 mg/m³ TWA, 0.2 mg/m³ STEL/CEIL (C), Skin

OSHA PEL: 0.1 mg/m³ TWA

Flame Retardant Compound

None established

Carbon Black (in black adhesive only)

OSHA and ACGIH TLV: 3.5 mg/m³

Zinc Oxide, fume

OSHA PEL: 5 mg/m³ TWA

Zinc Oxide

8hr TWA: 2mg/m³, measured as respirable fraction of aerosol

STEL/CEIL : 10mg/m³, measured as respirable fraction of aerosol

OSHA PEL(Dust only): 15mg/m³ total dust, 5mg/m³ respirable fraction

Engineering Control Measures

No specific measures necessary. Good general room ventilation is expected to be adequate to control airborne levels.

Respiratory Protection

Respiratory protection not normally required.

Hand Protection

Not required under normal conditions of use. However, care should be taken to avoid contact with the adhesive.

Eye Protection

Safety glasses

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Cloth backing with a rubber based pressure sensitive adhesive and paper or poly liner
Color	Black adhesive/black cloth or natural adhesive/off-white cloth with white paper liner or blue poly liner
Odor	Slight
pH	Not applicable
Specific Gravity	No data available
Boiling Range/Point (°C/F)	Not applicable
Melting Point (°C/F)	Not applicable
Flash Point (PMCC) (°C/F)	Not known
Explosion Limits (%)	No data available
Vapor Pressure	Not applicable
Density	No data.
Solubility in Water	Not known
Vapor Density (Air = 1)	Not applicable

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

Conditions to Avoid

- Heat - High temperatures

10. STABILITY AND REACTIVITY

Materials to Avoid

Acids – bases – strong oxidizers

Hazardous Polymerization

Will not occur.

Hazardous Decomposition Products

– oxides of carbon – hydrocarbons – aldehydes – acrolein – waxes – oligomers – oxygenated hydrocarbons – ketones – irritating fumes – hydrogen chloride – oxides of antimony – hydrogen bromide – bromine – oxides of tin

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Antimony Trioxide: LD50 oral (rat): >34600 mg/kg

Flame Retardant Compound: LD50 oral (rat): >5000mg/kg, LD50 dermal (rabbit) >2000 mg/kg

Organic Tin Compound: LD50 oral (rat): 647mg/kg

Chronic Toxicity/Carcinogenicity

Antimony Trioxide is classified by IARC: Group 2B possible human carcinogen. When encapsulated in the adhesive matrix the risk of exposure is reduced.

For products with black adhesive: Carbon Black is classified by IARC: Group 2B possible human carcinogen. When encapsulated in the adhesive matrix the risk of exposure is reduced.

Flame Retardant Compound: From data comparison to similar compounds, the Environmental Protection Agency has concluded that this substance may cause cancer as a result of significant chronic dermal and inhalation exposures to workers.

Genotoxicity

This product is not expected to cause any mutagenic effects.

Reproductive/Developmental Toxicity

This product is not expected to cause adverse reproductive effects.

12. ECOLOGICAL INFORMATION

Mobility

No relevant studies identified.

Persistence/Degradability

No relevant studies identified.

Bio-accumulation

No relevant studies identified.

Ecotoxicity

The product may be harmful to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable local and national regulations.

14. TRANSPORT INFORMATION

DOT CFR 172.101 Data Not Regulated

UN Proper Shipping Name Not Regulated

UN Class None.

UN Number None.

UN Packaging Group None.

Classification for AIR Transportation (IATA) Consult current IATA Regulations prior to shipping by air.

15. REGULATORY INFORMATION

EU Label Information

Classification and labelling have been performed according to EU directives 67/548/EEC and 99/45/EC including amendments(2001/60/EC and 2006/8/EC)

EC Annex I Classification

According to EC Commission Directive 67/548/EEC this product is not classified.

R phrases

None.

S phrases

None.

US REGULATIONS (Federal, State) and INTERNATIONAL CHEMICAL REGISTRATION LAWS

TSCA Listing

This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Inventory.

EINECS Listing

All ingredients in this product have not been verified for inclusion on the European Inventory of Existing Commercial Chemical Substances (EINECS) or specifically exempted.

DSL (Canadian) Listing

This product contains an ingredient that is not listed on the Domestic Substance List (DSL).

California Proposition 65

This product contains the following materials which the State of California has found to cause cancer, birth defects or other reproductive harm: Arsenic (7440-38-2) <0.02% – Lead (7439-92-1) <0.02% – Antimony Trioxide(1309-64-4) <10%

SARA Title III Sect. 311/312 Categorization

Immediate (acute)

SARA Title III Sect. 313

This product contains the following chemicals that are listed in Section 313 at or above de minimis concentrations: Zinc Oxide (1314-13-2) - Antimony Oxide (1309-64-4)

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Flammability - 0

NFPA Code for Health - 1

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards – 0

HMIS Ratings

HMIS Code for Flammability - 0

HMIS Code for Health - 1

HMIS Code for Reactivity - 0

HMIS Code for Personal Protection - See Section 8

Abbreviations

N/A: Denotes no applicable information found or available

CAS#: Chemical Abstracts Service Number

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit

16. OTHER INFORMATION

Abbreviations

NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

R: Risk

S: Safety

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

BOD: Biological Oxygen Demand

KoC: Soil Organic Carbon Partition Coefficient

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R40: Limited evidence of a carcinogenic effect.

N: Dangerous for the environment.

Xn: Harmful

Carcinogen Category 3: Substances which cause concern for man owing to possible carcinogenic effects but in respect of which the available information is not adequate for making a satisfactory assessment.

For further information email: msdstechnical@berryplastics.com

Prepared By: EnviroNet LLC.

The information and recommendations presented in this MSDS are based on sources believed to be accurate. Berry Plastics Corporation, Tapes and Coatings Division assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the **material** for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use **or disposal** of the material is in accordance with applicable Federal, State, and local laws and regulations.
